MATERIAL SAFETY DATA SHEET

EPOXY FILLER - PACK A

SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier : Epoxy Products Epoxy Filler - Pack A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Concrete crack repair compound

1.3 Details of the supplier of the safety data sheet : Epoxy Products Limited, Unit 7 Haviland Road, Ferndown Industrial Estate,

Wimborne, Dorset. BH21 7RZ England

 Tel No. +44 (0) 1202 891899

 Email Address – Technical Information
 :
 sales@epoxyproducts.co.uk

 Telephone
 :
 +44 (0) 1202 891899

 Emergency telephone number
 :
 +44 (0) 1202 891899

SECTION 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation 1272/2008 (CLP)

Skin corrosion/irritant - Category 2 H315: Causes skin irritation.
Eye damage/irritant - Category 2 H319: Causes serious eye irritation
Skin sensitisation - Category 1 H317: May cause an allergic skin reaction.
Aquatic Chronic - Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label Elements

Hazard pictograms/symbols



Signal Word: Warning Hazard Statements:

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements:

Prevention : Wear protective gloves

Wear eye or face protection Avoid release to the environment

Response Avoid release to the environment

IF IN EYES: Rinse cautiously wi

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Disposal : Disposal of contents/container to be specified in accordance with national regulations.

2.3 Other Hazards

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annexe X111

Not Applicable

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annexe X111

Not Applicable

SECTION 3. Composition/Information on Ingredients

Substance/Mixture Component	: EINECS	Mixture CAS Number	Concentration %	Classification (CLP)	REACH REG
Epoxy Resin Bisphenol Type A					
(MolWt.<700)	500-033-5	25068-38-6	<25	Skin Corr/Irrit. 2; H315 Eye Dam/Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2, H411	01-2119456619-26
Formaldehyde, polymer with (chloromethyl) oxirane and Phenol, MW<700	500-006-8	9003-36-5	<15	Skin Corr/Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2, H411	01-2119454392-40
Oxirane, mono{(C12-C14-alkyloxy) methyl} derivs.	271-846-8	68609-97-2	<5	Skin Corr/Irrit. 2; H315 Skin Sens. 1; H317	01-2119485289

4. <u>First-aid measures</u>

4.1 Description of first aid measures

Eye Contact Rinse immediately with plenty of water also under the eyelids for at least 10 minutes. Remove

contact lenses. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 10 minutes. Wash off with soap and water.

Immediately remove contaminated clothing and any extraneous chemical without delay.

Ingestion Wash out mouth with water. If victim has swallowed material and is still conscious give small amounts of water to drink. Stop if person feels sick. Do not induce vomiting unless directed to do

so by medical personnel.. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed.

Causes serious eye irritation Eve contact

No known significant effects or critical hazards Inhalation

Skin contact Causes skin irritation. May cause an allergic skin reaction

Ingestion Irritating to mouth, throat and stomach.

Over exposure signs/symptoms

Eve contact Adverse symptoms may include the following:

Pain or irritation Watering Redness

Inhalation No known significant effects or critical hazards Adverse symptoms may include the following: Skin contact

Irritation

Redness No specific data

4.3 Indication of any immediate medical attention and special treatment needed

No specific treatment

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Ingestion

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

Special hazards arising from the substance

Hazards from the substance or mixture Incomplete combustion may form carbon dioxide ,carbon monoxide and halogenated compounds.

Advice for fire-fighters

Special protective actions for fire fighters Promptly isolate the scene by removing all persons from the vicinity of the fire.

Special protective equipment for fire fighters Fire fighters should wear appropriate protective equipment.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Wear suitable protective clothing, gloves and eye/face protection. Use self contained breathing apparatus and chemically protective clothing.

Environmental precautions Prevent contamination of soil and water. 6.2

Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other

appropriate barriers.

6.3 Methods and material for containment

and cleaning up

Transfer to a labelled, sealable container for product recovery or safe disposal. Treat residues as

for small spillage

SECTION 7. Handling and storage

Precautions for safe handling

Wear appropriate personal protective equipment. Avoid contact with eyes, skin or clothing. Do Protective measures

not ingest. Keep containers closed when not in use.

Advice on general occupational hygiene 7.2

Do not eat, drink or smoke when handling this product. Wash hands after handling. Conditions for safe storage, including Keep containers tightly closed in a dry, cool and well ventilated areas

Do not store in unlabelled containers. any incompatibilities

SECTION 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits No exposure limit value known

Exposure controls

Provide readily accessible eye wash stations and safety showers. Provide natural or explosion proof ventilation adequate to ensure concentrations are kept below explosion limits.

Personal protective equipment

Hand protection Chemically resistant, impervious gloves should be worn at all times when handling.

Butyl rubber, Nitrile rubber, neoprene gloves, impervious gloves, latex or vinyl disposable gloves.

Eye/face protection Protective eye glasses or goggles must be worn.

Skin and body protection Standard issue work clothes. Long sleeve shirts, trousers or overalls must be worn.

Environmental exposure controls Construct a dike to prevent spreading.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state/colour Paste Odour Not available Relative density Not available 150°C Flash Point Viscosity Not available Ph Not available

SECTION 10. Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability This product is stable 10.3 Possibility of hazardous reactions No specific data

10.4 Conditions to avoid No specific data10.5 Incompatible materials No specific data

10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be

produced

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

No data available on the product itself.

Components - Oral

Epoxy Resin Bisphenol Type A Formaldehyde, polymer with (chloromethyl) oxirane and phenol, Oxirane, mono{(C12-C14-alkyloxy) No acutely toxic in rat and mouse studies, LD50>2000mg/kg No acutely toxic in rat and mouse studies, LD50>2000mg/kg

LD50 > 2.0 grams (Female Rat) and LD50 = 26.8 grams (Male Rat)

methyl} derivs.

Components - Inhalation Epoxy Resin Bisphenol Type A Formaldehyde, polymer with (chloromethyl) oxirane and phenol, Oxirane, mono{(C12-C14-alkyloxy)

Due to the low vapour pressure, meaning ful acute inhalation studies could not be conducted.

No specific data

methyl} derivs.

No mortalities were observed in rats exposed for 7 hours to the saturated vapour (150mg/m³)

Components - Dermal

Epoxy Resin Bisphenol Type A No acutely toxic in rat and mouse studies, LD50>2000mg/kg

Formaldehyde, polymer with (chloromethyl) oxirane and phenol,

No specific data

 $Oxirane,\,mono\{(C12\text{-}C14\text{-}alkyloxy)$

methyl} derivs.

No specific data

Potential acute health effects

Eye contact Causes serious eye irritation.

Inhalation Irritating to mouth, throat and stomach.
Ingestion No known significant effects or critical hazards

Over exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

Pain or irritation Watering Redness

Inhalation No known significant effects or critical hazards Skin contact Adverse symptoms may include the following:

Irritation Redness

Ingestion No specific data

Chronic toxicity or effects from long term exposures

Carcinogenicity No known significant effects or critical hazards Reproductive toxicity No known significant effects or critical hazards

Germ cell mutagenicity

No specific data is available.

SECTION 12. Ecological information

12.1 Toxicity

Aquatic toxicity No data is available on the products itself

Epoxy Resin Bisphenol Type A Acute LC50 1.30 mg/l Fish Formaldehyde, polymer with (chloromethyl) oxirane and phenol,

Oxirane, mono{(C12-C14-alkyloxy) Acute LC50 1.80 mg/l Fish – Rainbow Trout methyl} derivs. Acute EC50 844 mg/l Aquatic Plants - Algae

12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No data available
No data is available

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product Waste to be treated as controlled waste. Dispose to licensed waste disposal site. In accordance

with local waste disposal authority.

Packaging Keep container labelled until cleaned and then remove or deface labels. Drain container

thoroughly and rinse well with water. Treat rinsings as for product disposal. Empty packaging

should be removed by a licensed waste contractor.

SECTION 14 Transport information

14.1 UN Number

14.2 UN Proper shipping name

14.3 Transport Hazard Class

14.4 Packaging Group

Land Transport ADR / ADN

3082 UN Number

UN Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (LIQUID EPOXY RESIN, ALIPHATIC GLYCIDYL ETHER)

Transport Hazard Class 111 Packaging Group

Air Transport ICAO / IATA

3082 UN Number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID UN Proper Shipping Name

N.O.S. (LIQUID EPOXY RESIN, ALIPHATIC GLYCIDYL ETHER)

Transport Shipping Class Packaging Group 111

Maritime Transport IMO / IMDG

UN Number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID UN Proper Shipping Name N.O.S. (LIQUID EPOXY RESIN, ALIPHATIC GLYCIDYL ETHER)

Transport Shipping Class Packaging Group 111

14.5 Environmental hazards

Environmentally hazardous and/or marine pollutant YES

SECTION 15. Regulatory information

15.1 Safety, health and environment regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex X1V – List of substances to authorisation.

Substances of very high concern

Carcinogen Not listed Not listed Mutagen Toxic to reproduction Not listed PBT Not listed VPvB Not listed

SECTION 16. Other Information

Hazard Statements

Causes skin irritation H315

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

Full Text of Classiofications (CLP)

Skin Corrosion/Irritation Category 2, H315 Skin Corrosion/irritation - Category 2 Skin Sensitisation Category 1,H317 Skin Sensitisation - Category 1

Eye Damage/Irritation Category 2,H319 Serious Eye Damage/Eye Irritation – Category 2 Aquatic Chronic Category 2,H411 Aquatic Hazard (Long lasting) - Category 2

Date Issued 15.06.2015 : Reference

Epoxy Products Epoxy Filler (Resin- Pack A) Product Code

Intended Use Concrete crack repair compound

The information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

MATERIAL SAFETY DATA SHEET EPOXY FILLER - PACK B

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier : Epoxy Products Epoxy Filler - Pack B

1.2 Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture : Epoxy Curing Agent

1.3 Details of the supplier of the safety data sheet : Epoxy Products Limited, Unit 7 Haviland Road, Ferndown Industrial Estate,

Wimborne, Dorset. BH21 7RZ England

 Tel No. +44 (0) 1202 891899

 Email Address – Technical Information
 :
 sales@epoxyproducts.co.uk

 Telephone
 :
 +44 (0) 1202 891899

 Emergency telephone number
 :
 +44 (0) 1202 891899

SECTION 2: Hazards Identification

2.1 Classification according to Regulation 1272/2008 (CLP)

Acute Tox. Dermal - Category 4 H312 Harmful in contact with skin Acute Tox. Oral - Category 4 H302 Harmful if swallowed

Skin Corr. Category 1B H314 Causes severe skin burns and eye damage Eye Dam. Category 1 H318 Causes serious eye damage Skin Sens. Category 1 H317 May cause an allergic skin reaction

Reproductive Tox. Category 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child

Chronic Aquatic Tox. Category 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label Elements

Hazard pictograms/symbols



Signal word: Danger

Hazard Statements:

H302 Harmful if swallowed H312 Harmful in contact with skin

H314 Causes sever skin burns and eye damage H317 May cause an allergic skin reaction

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/ eye protection/face protection

: Mixture

P305+P351+P338 IF IN EYES) Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

P501 Disposal of contents/container to be specified in accordance with national regulations

2.3 Other Hazards

Substance/Mixture

Results of PBT and vPvB assessment - not applicable

SECTION 3. Composition/Information on Ingredients

Component	EINECS	CAS Number	Concentration %	Classification (CLP)	REACH REG
2-Piperazin-1-ylethylamine	205-411-0	140-31-8	<20	Acute Tox. Dem 3 H311	01-2119471486-30
				Acute Tox. Cat 4: H302	
				Skin Corr. Cat 1B: H314	
				Skin Sens. Cat 1:H317	
				Aquatic Chronic Cat 3: H412	
Phenol, 4-nonyl- branched	284-325-5	84852-15-3	<20	Repr. 2 H361fd	
•				Acute Tox. Oral Cat 4:H302	
				Skin Corr. 1B H314	
				Aquatic Chronic 1 H410	

Chemical Family: Cycloaliphatic Amine

SECTION 4: First-aid measures

4.1 Description of first aid measures

General advice Seek medical advice. If breathing has stopped or is laboured, give assisted respirations.

Supplemental oxygen maybe indicated. If the heart has stopped trained personnel should begin

 $cardiopul monary\ resuscitation\ immediately.$

Eye Contact Rinse immediately with plenty of water also under the eyelids for at least 20 minutes. Remove

Skin Contact Wash off immediately with plenty of water for at least 20 minutes. Wash off with soap and water.

Immediately remove contaminated clothing and any extraneous chemical without delay.

Never give anything by mouth to an unconscious person. Prevent aspiration of vomit. Turn

victims head to one side. Inhalation Remove to fresh air.

4.2 Most important symptoms and effects, both acute and delayed. No data available Symptoms

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. Fire-fighting measures

Ingestion

Extinguishing media Alcohol resistant foam, carbon dioxide, dry chemical, dry sand or limestone powder

Extinguishing media - Not suitable

5.2 Special hazards arising from the substance Incomplete combustion may form carbon monoxide. May generate ammonia gas. May generate

toxic oxide gases. Burning produces noxious and toxic fumes. Downwind personnel must be

Advice for fire-fighters Avoid contact with skin. Use personal protective equipment. Wear self-contained breathing

apparatus for fire fighting if necessary.

SECTION 6. Accidental release measures

Personal precautions, protective equipment Wear suitable protective clothing, gloves and eye/face protection. Use self contained breathing

Environmental precautions Prevent contamination of soil and water.

Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other

appropriate barriers.

6.3 Methods and material for containment

and cleaning up

Transfer to a labelled, sealable container for product recovery or safe disposal. Treat residues as

for small spillage

SECTION 7. Handling and storage

7.1 Precautions for safe handling Do not use sodium nitrate or other nitrosating agents in formulations containing this product.

> Suspected cancer causing nitrosamines could be formed. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Avoid contact with eyes. Use personal protective equipment. When using, do not eat,

drink or smoke.

7.2 Conditions for safe storage, including

any incompatibilities

Do not store near acids. Keep away from alkalis. Keep containers tightly closed in a dry, cool and

well ventilated place.

SECTION 8. Exposure controls/personal protection

If applicable, refer to the extended section of the MSDS (available upon request) 8.1 Control parameters

8.2 Exposure controls Provide readily accessible eye wash stations and safety showers. Provide natural or explosion

proof ventilation adequate to ensure concentrations are kept below explosion limits.

8.3 Personal protective equipment

Hand protection Chemically resistant, impervious gloves should be worn at all times when handling.

Butyl rubber, Nitrile rubber, neoprene gloves, impervious gloves, latex or vinyl disposable gloves.

Eye/face protection Protective eye glasses or goggles must be worn.

Skin and body protection Standard issue work clothes. Long sleeve shirts, trousers or overalls must be worn.

Environmental exposure controls Construct a dike to prevent spreading.

Special instructions for protection and Discard contaminated clothing. Provide accessible eye wash stations and safety showers. Wash

hands at the end of each workshift and before eating, drinking, smoking or using the toilet.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state/colour Paste /Grey Odour Fishy Flash Point >200°C Autoignition temperature No data available Self inflammability

Product is not self-igniting Danger of explosion Product is not explosive

Ph Alkaline

SECTION 10. Stability and reactivity

10.1 Reactivity Refer to possibility of hazardous reactions and/or incompatible materials section

10.2 Chemical stability Stable under normal conditions

10.3 Possibility of hazardous reactions No data available Conditions to avoid No data available 10.5 Incompatible materials Sodium Hypochlorite Organic and mineral acids

Product slowly corrodes copper, aluminium, zinc and galvanised surfaces.

10.6 Hazardous decomposition products Nitric acid

Ammonia Nitrogen oxides Carbon dioxide Aldehydes

Flammable hydrocarbon fragments

Organic acid vapours

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

Acute Oral Toxicity

Acute Inhalation Toxicity

Acute Dermal Toxicity

Non irritant to the skin of a rabbit

Non irritant to the eyes of a rabbit

Respiratory or skin sensitisation Sensitisation of susceptible persons by skin contact.

Chronic toxicity or effects from long term exposures

Carcinogenicity No data is available

Reproductive toxicity No data is available on the product itself Germ cell mutagenicity No data is available on the product itself.

SECTION 12. Ecological information

12.1 Toxicity

Aquatic toxicity No data is available on the products itself

Toxicity to fish - Components

Nonyl Phenol LC50 (96 h) : 0.128 mg/l Species: Fish Fathead minnow

Toxicity to daphnia - Components

Nonyl Phenol EC50 (48 h) : 0.084 mg/l Species: Daphnia Magna

12.2 Persistence and degradability12.3 Bioaccumulative potentialNo data availableNo data available

Bioaccumulative - Components

Nonyl Phenol Moderate bioaccumulation potential

12.4 Mobility in soil
 12.5 Results of PBT and vPvB assessment
 No data is available
 Both not applicable

SECTION 13. Disposal considerations

Waste treatment methods Waste to be treated as controlled waste. Dispose to licensed waste disposal site. In accordance

with local waste disposal authority.

Contaminated Packaging Keep container labelled until cleaned and then remove or deface labels. Empty packaging should

be removed by a licensed waste contractor.

SECTION 14. Transport Information

14.1 UN Number

14.2 UN Proper shipping name14.3 Transport Hazard Class

14.4 Packaging Group

Land Transport ADR / ADN

UN Number 2735

UN Proper Shipping Name AMINES, LIQUID, CORROSIVE N.O.S (Nonyl Phenol, Amino ethyl) piperazine, 1-(2-,(AEP))

Transport Hazard Class 8
Packaging Group 11
Marine Pollutant Yes

Air Transport ICAO / IATA

UN Number 2735

UN Proper Shipping Name AMINES, LIQUID, CORROSIVE N.O.S (Nonyl Phenol, Amino ethyl) piperazine, 1-(2-,(AEP))

Transport Shipping Class 8
Packaging Group 11
Marine Pollutant Yes

Maritime Transport IMDG

UN Number 2735

UN Proper Shipping Name AMINES, LIQUID, CORROSIVE N.O.S (Nonyl Phenol, Amino ethyl) piperazine, 1-(2-,(AEP))

Transport Shipping Class 8
Packaging Group 11
Marine Pollutant Yes

SECTION 15. Regulatory information

15.1 Safety, health and environment regulations/legislation specific for the substance or mixture

Country : EU Regulatory List : EINECS

Notofication : Included on EINECS inventory

SECTION 16. Other Information

Hazard Statements

H302 Harmful if swallowedH311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects H412 Harmful to aquatic life with long lasting effects

Date Issued : 15.06.2015
Reference : EF/B/07

Product Code : Epoxy Products Epoxy Filler (Hardener - Pack B)

Intended Use : Concrete crack repair compaound

The information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.